

15621

Reg. No.

--	--	--	--	--	--	--	--

VI Semester B.C.A. Degree Examination, September/October - 2022
COMPUTER SCIENCE
Theory of Computation
(CBCS Scheme)



Time : 3 Hours

Maximum Marks : 100

Instructions to Candidates :

Answer all sections.

SECTION - A

Answer any 10 questions. Each question carries 2 marks.

(10×2=20)


1. Define Automata.
2. Draw a DFA to accept strings of even number of a's.
3. What is trap state?
4. Define pumping Lemma?
5. Design a RE over $\Sigma = \{a, b\}$ for the language accepting string of exactly length 2?
6. Define E-closure.
7. What are the different types of grammar?
8. What is parsing?
9. Define GNF.
10. Define Nullable variable.
11. What is Turing Machine?
12. State post correspondance problem.

SECTION - B

Answer any 5 questions. Each question carries 5 marks.

(5×5=25)

13. Construct a DFA to accept strings of O's and I's representing zero modulo 5.
14. Write the differences between DFA and NFA.
15. Convert the DFA to Regular Expression.



[P.T.O.]



- 16. State and prove Kleene's Theorem.
- 17. Prove that $s \rightarrow a s b s / b s a s / \Sigma$ is ambiguous.
- 18. Obtain CFG for the following language

$$L = \{a^n b^n \mid n \geq 1\}$$

- 19. Explain Halting problem of Turing Machine.
- 20. Eliminate unit production from the following grammar.

$$S \rightarrow AB$$

$$A \rightarrow a$$

$$B \rightarrow C$$

$$B \rightarrow b$$

$$C \rightarrow D$$

$$D \rightarrow E$$

$$E \rightarrow a$$

SECTION - C

Answer any 3 questions. Each question carries 15 marks :

(3×15=45)

- 21. Construct a NFA with E for $(0+1)^*1(0+1)$.
- 22. Minimize the following DFA using table filling algorithm.

δ	a	b
A	B	C
B	G	C
* C	A	C
D	C	G
E	H	F
F	C	G
G	G	E
H	G	C

- 23. Transform the CFG into GNF

$$S \rightarrow AB$$

$$A \rightarrow BS \mid 1$$


$$B \rightarrow SA \mid 0$$

24. a) Find the language accepted by CFG. (5)

$$G = \{V, T, P, S\}, V = \{S\}, T = \{a, b\}$$

$$S = S, P = \{S \rightarrow aS / b\}$$

- b) Obtain a grammar to generate string $S = \{a, b\}$ having atleast one 'a'. (5)



- c) Obtain a PDA for the language (5)

$$L = \{wcw^R / w \in (a, b)^*\}$$

25. Obtain a Turing machine that accepts the language $L = \{a^n b^n \mid n \geq 1\}$.

SECTION - D

Answer any 1 question.

(1×10=10)

26. Explain the types of Turing Machine
27. Write a note on Chomsky's Hierarchy of language.